

Sunlite 49196 LED Half Cylinder Wall Sconce, 7" Wide, Adjustable 3 CCT 3000K-5000K, 15 Watts, 1050 Lumens, Frosted Shade, Dimmable, Brushed Nickel Frame, for Bathrooms, Garage, Hallways & Entryways

DESCRIPTION:

The Sunlite LED Half Cylinder Vanity Light Fixture is a simplistic but gorgeous fixture that combines a sleek vintage design with modern features. Its frosted tubular diffuser, brushed nickel accents and versatility; make it perfect for bathrooms, wall sconces, and anywhere else around your home. Our fixture is ideal for those new renovation projects, upgrading your home, and simple DIY projects without breaking the bank! Modernizing your home is easy with adjustable color-changing technology (3000K, 4000K,5000K).

FEATURES:

- SLEEK DESIGN This half-cylinder light fixture combines a sleek design with mid-century style, making for a gorgeouslooking fixture. The acrylic tubular diffuser provides the perfect light distribution while still making the brushed nickel end caps a center focus. Perfect for layering lighting to create a well-lit and balanced space.
- DECORATIVE AND INNOVATIVE- Understated and vintage appeal, this fixture will add that minimalistic flair to any home. Providing bright illumination makes for a great task light near your bathroom mirror or sink. The minimalistic Wall sconce spreads proper light over surrounding walls and mirrors. With its rounded opal diffuser to soften the light, it makes it perfect for hallways and entryways.
- ADJUSTABLE COLOR TEMPERATURE: Test different color temperatures before installation and never be dissatisfied with CCT again. This simplistic fixture has adjustable LED color-changing technology (3000K, 4000K,5000K), quickly meeting different demands in areas. With a simple switch inside the fixture, the color temperature is adjusted to your desire. PLEASE NOTE: select the desired color temperature before completely mounting the fixture. (Instructions included).
- DIMMABLE- When paired with LED compatible dimmers, switching the output of each color temperature is simple. The dimming capabilities allow you to adjust the brightness of each temperature, which is great for creating different atmospheres. Energy-star and UL are listed for damp locations.
- ETL LISTED ETL Listed for damp locations, which is excellent for kitchens and bathrooms. Place in outside in front of covered doorways, garage entryways. Hardware and instructions for mounting on any standard junction box included. Dimensions: 9.88" H.I.T. W. L. 2.22" D.



SPECIFICATIONS:

General Characteristics

Average Rated Hours

Finish

Average Life Span Years

Dimmable

Dimming Type

Dimming Percentage

Material

Lens Material

Application

Lens Finish

Residential

Electrical Characteristics

15 Watts

Volts 100-277 Equivalent Wattage 80

2835 LED Chip Manufacturer **Power Factor** 0.98

Temperature -4°F - 113°F

Light Characteristics

Lumens Brightness

Color Rendering Index CRI

Emitted Color

Color Temperature Kelvin

1050 80

CCT Selectable

30K/40K/50K

Fixture Characteristics

Mounting

Fixture Technology

Use Location

Wall LED

50000

46

Yes

Brushed Nickel

Incandescent)

Steel & Acrylic

10-100%

Acrylic

White

Forward Phase (Triac or

Indoor

Additional Features

Safety Rating Mark

Safety Rated For Canada

Safety Rated For USA

Energy Star

Energy Star Number

Americans Disabilities Act

ETL - Damp Location

Yes

Yes

Yes

2477535

Yes

Product Dimensions

Item Dimension (in)

Package Dimension (in)

Package Weight (lb)

Product Data

Case Unit Rate

Item UPC Warranty Years

(W) 7 (H) 9.88 (D) 3.32 (W) 9.08 (H) 4.8 (D) 11.75

2.55

6

653703491967

5





ACCESSORIES:



Catalog # 90664-SU LFX/WS/HC/15W/SCT/EM/BN



Catalog # 90663-SU LFX/WS/HC/15W/SCT/MS/BN