

**Bi-Pin**

**Sunlite 66040-SU Q60/G9/FR/120V  
Halogen 60-Watt Single Ended T3.5 Light  
Bulb, 720 Lumen, 120 Volt, G9 (Bi-Pin)  
Base, Frost, 2000 Hour Life Span, 3200K -  
Warm White 1 Pack**

Single Ended T3.5

**DESCRIPTION:**

Sunlite Halogen Bulbs put out more lumens per watt (LPW) than standard incandescent bulbs. These 60-watt, 120-volt lamps feature a G9 bi-pin base. Perfect for both indoor and outdoor applications. Use in chandeliers, track lighting, pendants, portable lamps, wall sconces, showcase displays, and more.

**FEATURES:**

- **HALOGEN LAMPS** - These UV protected 60-watt 120-volt halogen bulbs produce more lumens per watt (LPW) than standard incandescent bulbs.
- **G9 BASE** - These frost lamps feature a G9 (bi-pin) base that works with a variety of applications. Each bulb measures 0.599 inches in diameter and 1.56 inches in overall height.
- **DIMMABLE** - Fully dimmable when installed in a fixture with dimming control. Bright white, 720 lumen output.
- **LONG LIFE** - With a 2000 hour life span these bulbs will last 1.8 years (based on 3 hours per day use).
- **INDOOR AND OUTDOOR USE** - These bulbs are perfect for both indoor and outdoor applications. Use in chandeliers, track lighting, pendants, portable lamps, wall sconces, showcase displays, and more.



## SPECIFICATIONS:

### General Characteristics

<b>Bulb Shape</b>	Bi-Pin
<b>Average Rated Hours</b>	2000
<b>Finish</b>	Frost
<b>Base</b>	Wire Style Base (G9)
<b>Average Life Span Years</b>	2

### Electrical Characteristics

<b>Watts</b>	60
<b>Volts</b>	120

### Light Characteristics

<b>Lumens Brightness</b>	720
<b>Color Rendering Index CRI</b>	100
<b>Emitted Color</b>	Bright White
<b>Color Temperature Kelvin</b>	3200K

### Additional Features

<b>Title 20</b>	Lawful for sale in California
<b>Mercury Free</b>	Yes

### Product Dimensions

<b>MOL (in)</b>	1.55
<b>Light Center Length</b>	0.55
<b>Diameter (in)</b>	0.566"
<b>Item Dimension (in)</b>	(W) 0.57 (H) 1.55 (D) 0.57
<b>Package Dimension (in)</b>	(W) 2.9 (H) 0.9 (D) 0.9
<b>Package Weight (lb)</b>	1

### Product Data

<b>Case Unit Rate</b>	12
<b>Pack Size</b>	1
<b>Item UPC</b>	653703660400



**VARIATIONS:**



66040-SU



66030-SU



66075-SU



66077-SU

<i>Item Number</i>	<i>Description</i>	<i>Watts</i>	<i>Lumens</i>	<i>CRI</i>	<i>Kelvin Color</i>	<i>Hours</i>	<i>Pack</i>
66040-SU	Q60	60	720	100	3200K BW	2000	1
66030-SU	Q25	25	190	100	3200K BW	2000	1
66075-SU	Q40	40	350	100	3200K BW	2000	1
66077-SU	Q50	50	550		3200K BW	2000	1