

G Series

Sunlite 80467 LED G40 Edison Globe Light Bulb, 8 Watts (100W Equivalent), Standard E26 Base, 880 Lumens, Dimmable, Decorative Clear Glass, Antique Filament, 1 Pack, 2200K Amber Filament

DESCRIPTION:

Upgrade your lighting with Sunlite Dimmable LED bulbs. With a G40 globe shape and medium (E26) base they are an energy efficient replacement for 100 watt incandescent while only using 8 watts of electricity. They are instant-on at full 880 lumen brightness. With an average life of 15000 hours these long life bulbs need to be replaced less often. The estimated annual energy cost is a low \$0.96 (Based on 3 hr/day use at \$0.11 per/kWh). These 2200 Kelvin amber light bulbs provide a comforting warm amber glow that can be adjusted with a dimmer for perfect lighting. Color Rendering Index (CRI) of 85 and a 360-degree beam angle. They are cool to the touch even when lit making them perfect for vanity fixtures, decorative lamps, restaurants light and more. These bulbs are ETL Listed for dry location installation. Ideal for both residential and commercial use. Save time and money with Sunlite LED bulbs

FEATURES:

- UPGRADE TO LED These dimmable 8 Watt G40 Globe LED filament style bulbs are an energy efficient replacement for 100 watt incandescent bulbs. They have a medium (E26) base and remain cool to the touch even when lit. They are instant-on at full 880 lumen brightness
- SAVE ENERGY Get the same light output of a 100 watt incandescent bulb while saving 89% on electricity. The annual energy cost is a low \$0.96 (Based on 3 hours/day at \$0.11 per/kWh). Installing them may qualify you for state and local energy rebates
- LONG LIFE SPAN With an average life span of 15000 hours, you'll need to replace bulbs less often. Perfect for any dimmable or non-dimmable fixture, including vanity lights, bathroom lights, makeup mirrors, decorative lamps, antique fixtures, string lights, and more
- AMBER COLOR At 2200K these amber light bulbs provide a comforting and cozy warm, amber glow that can be adjusted with a dimmer for perfect lighting. Color Rendering Index (CRI) of 85 and a 360-degree beam angle
- THE SAFER CHOICÉ These indoor bulbs are ETL Listed for dry location installation. Ideal for both residential and commercial use. Our bulbs contain no mercury or other harmful chemicals. Tested Compatible Dimmers: Lutron DVELV-300P MAELV-600 SELV-300P.

sunlite

SPECIFICATIONS:

General Characteristics

General Characteristics		Product Dimensions	
Bulb Shape	G40	MOL (in)	6.61
Average Rated Hours	15000	Diameter (in)	4.92
Finish	Clear	Item Dimension (in)	(W) 4.72 (H) 6.67 (D) 4.72
Base	Medium Screw (E26)	Package Dimension (in)	(W) 5.4 (H) 8.3 (D) 5.4
Average Life Span Years	14	Package Weight (lb)	0.41
Dimmable	Yes		
Material	Glass	Product Data	
		Case Unit Rate	6

Electrical Characteristics

Watts	8
Volts	120
Equivalent Wattage	100
LED Chip Manufacturer	916
Power Factor	0.5
Temperature	-20° to 40° C

Light Characteristics

Lumens Brightness	880
Color Rendering Index CRI	85
Emitted Color	Warm White
Color Temperature Kelvin	2200K
Beam Angle	360°

Additional Features

Safety Rating Mark	UL Listed
Safety Rated For Canada	Yes
Safety Rated For USA	Yes
Rohs Compliant	Yes
CE Certified	Yes

	0.07
)	4.92
sion (in)	(W) 4.72 (H) 6.67 (D) 4.72
nension (in)	(W) 5.4 (H) 8.3 (D) 5.4
ight (lb)	0.41

Catalog # 80467-SU

G40/LED/FS/8W/D/CL/22K/LF

Case Unit Rate	6
Pack Size	1
Item UPC	653703804675
Warranty Years	2
Package Type	Box