

Bi-Pin

Sunlite 80866-SU LED G9 Lamp Light Bulb, 2.5 Watts (25 Watt Halogen Equivalent), 250 Lumens, Bi-Pin Base, Dimmable, Clear, ETL Listed, RoHS Compliant, 30K Warm White 1 Pack Bi-Pin

DESCRIPTION:

Upgrade your fixtures with Sunlite LED G9 bulbs. These dimmable 2.5 watt bulbs save energy while providing the same amount of light as a 25 watt halogen bulb. They are a direct replacement and last up to 15 times longer than their halogen equivalent yet require no special handing. They feature a 360 degree beam spread for a more even distribution of light and with a 25,000 hour average life span you'll need to replace them less often. Common uses for G9 bulbs are lamps, track lighting, chandeliers, wall sconces, ceiling fixtures, range hoods, under cabinet lighting, drawers and display cases. They are ETL listed for dry location installation. RoHS Compliant. CE Certified.

FEATURES:

- UPRGADE TO LED Upgrade your fixtures with Sunlite LED G9 bulbs. These 2.5 watt bulbs save energy while providing the same amount of light as a 25 watt halogen bulb. They emit 250 lumen at 3000K Warm White color temperature.
- DIMMABLE These lamps are dimmable when installed in a fixture with LED dimming control.
- LONG LIFE TECHNOLOGY With a 25,000 hour average life span you'll need to replace hard to access bulbs less often. They are a direct replacement and last up to 15 times longer than their halogen equivalent yet require no special handing.
- ENERGY SAVING These bulbs provide the same amount of light as a 25 watt halogen bulb while only using 2.5 watts of energy. That translates into an annual energy cost of \$0.30 based on 3 hrs/day at \$0.11 per kWh.
- ETL Listed They are ETL listed for dry location installation. RoHS Compliant. CE Certified.





SPECIFICATIONS:

General Characteristics

Bulb ShapeG9Average Rated Hours25000FinishClear

Wire Style Base (G9)

23

Yes

Plastic

Average Life Span Years

Dimmable Material

Base

Electrical Characteristics

Watts2.5Volts120Equivalent Wattage25

LED Chip Manufacturer COB Epistar

Power Factor 0.86
Temperature -20° to 80°

Light Characteristics

Lumens Brightness 250
Color Rendering Index CRI 80

Emitted Color Warm White **Color Temperature Kelvin** 3000K

Beam Angle

Additional Features

Safety Rating Mark ETL Listed - Dry Location

360°

Rohs Compliant Yes
CE Certified Yes

Product Dimensions

 MOL (in)
 2.04

 Package Dimension (in)
 (W) 0.55 (H) 4.3 (D) 1.73

 Package Weight (lb)
 0.030

Product Data

 Case Unit Rate
 100

 Pack Size
 1

 Item UPC
 653703808666

Warranty Years 2
Package Type Box