

Bi-Pin

**Sunlite 66030-SU Q25/G9/FR/120V
Halogen 25-Watt Single Ended T3.5 Light
Bulb, 190 Lumen, 120 Volt, G9 (Bi-Pin)
Base, Frost, 2000 Hour Life Span, 3200K -
Warm White 1 Pack**

Single Ended T3.5

DESCRIPTION:

Sunlite Halogen Bulbs put out more lumens per watt (LPW) than standard incandescent bulbs. These 25-watt, 120-volt lamps feature a G9 bi-pin base. Perfect for both indoor and outdoor applications. Use in chandeliers, track lighting, pendants, portable lamps, wall sconces, showcase displays, and more.

FEATURES:

- **HALOGEN LAMPS** - These UV protected 25-watt 120-volt halogen bulbs produce more lumens per watt (LPW) than standard incandescent bulbs.
- **G9 BASE** - These frost lamps feature a G9 (bi-pin) base that works with a variety of applications. Each bulb measures 0.599 inches in diameter and 1.56 inches in overall height.
- **DIMMABLE** - Fully dimmable when installed in a fixture with dimming control. Bright white, 190 lumen output.
- **LONG LIFE** - With a 2000 hour life span these bulbs will last 1.8 years (based on 3 hours per day use).
- **INDOOR AND OUTDOOR USE** - These bulbs are perfect for both indoor and outdoor applications. Use in chandeliers, track lighting, pendants, portable lamps, wall sconces, showcase displays, and more.



SPECIFICATIONS:

General Characteristics

Bulb Shape	Bi-Pin
Average Rated Hours	2000
Finish	Frost
Base	Wire Style Base (G9)
Average Life Span Years	2

Electrical Characteristics

Watts	25
Volts	120

Light Characteristics

Lumens Brightness	190
Color Rendering Index CRI	100
Emitted Color	Bright White
Color Temperature Kelvin	3200K

Additional Features

Title 20	Lawful for sale in California
Mercury Free	Yes

Product Dimensions

MOL (in)	1.56
Light Center Length	0.55
Diameter (in)	0.599"
Item Dimension (in)	(W) 0.6 (H) 1.56 (D) 0.6
Package Dimension (in)	(W) 0.88 (H) 2.75 (D) 0.88
Package Weight (lb)	0.020

Product Data

Case Unit Rate	12
Pack Size	1
Item UPC	653703660301



VARIATIONS:



66030-SU



66075-SU



66077-SU



66040-SU

<i>Item Number</i>	<i>Description</i>	<i>Watts</i>	<i>Lumens</i>	<i>CRI</i>	<i>Kelvin Color</i>	<i>Hours</i>	<i>Pack</i>
66030-SU	Q25	25	190	100	3200K BW	2000	1
66075-SU	Q40	40	350	100	3200K BW	2000	1
66077-SU	Q50	50	550		3200K BW	2000	1
66040-SU	Q60	60	720	100	3200K BW	2000	1