

Sunlite 81312-SU 15-Inch LED Semi Flush Mount Round Ceiling Light Fixture, 30 Watt (150W Equivalent), 1950 Lumens, Dimmable, Oil Rubbed Bronze Finish, 50,000 Hour Life Span, ETL Listed, 30K - Warm White

Solid

DESCRIPTION:

Sunlite LED 15-inch semi flush mount ceiling fixtures are designed for years of maintenance-free service. The oil rubbed bronze finish highlights the stylish and clean appearance that will compliment any decor. These easy to install, dimmable fixtures have energy efficient LED technology built-in so there are no bulbs to replace. Output is a bright, flicker-free 1950 lumen with a 3000K warm white color temperature while only using 30 watts of energy. Ideal for offices, hotel rooms, bedrooms, bathrooms, kitchens, dining areas, entryways or anywhere downlights are needed. They are also UL Listed for damp location installation. With a life span of up to 50,000 hours they are an ideal, no maintenance solution for both residential and commercial installations. ETL Listed for damp location installation.

FEATURES:

- **STYLISH DESIGN** - The oil rubbed bronze finish highlights the stylish and clean appearance that will compliment any decor. The durable steel body houses an opaque acrylic lens for optimal light diffusion.
- **DIMMABLE** - When attached to an LED compatible dimmer switch the lighting output can be adjusted allowing you to set the mood accordingly. The fixture will operate at full brightness when connected to a standard switch. Light output is a warm white color temperature (3000K).
- **ENERGY EFFICIENT LED TECHNOLOGY** - Output is a bright, flicker-free 1950 lumen while only using 30 watts of energy. Annual operating costs are \$3.61 based on 3 hours/day at \$0.11/kWh.
- **LONG LIFE, NO MAINTENANCE** - With a life span of up to 50,000 hours and built-in LEDs this fixture is a no maintenance lighting solution. No more climbing ladders to change bulbs in hard to reach fixtures.
- **A SAFE CHOICE** - These fixtures are ETL Listed for damp location installation. Ideal for offices, bedrooms, bathrooms, hotel rooms, kitchens, hallways, dining areas, entryways or anywhere downlight is needed.



SPECIFICATIONS:

General Characteristics

Average Rated Hours	50000
Finish	Oil Rubbed Bronze
Average Life Span Years	46
Dimmable	Yes
Dimming Type	Forward Phase (Triac or Incandescent)
Dimming Percentage	10-100%
Material	Steel & Acrylic
Lens Material	Acrylic
Lens Finish	Acrylic

Electrical Characteristics

Watts	30
Volts	120
Power Factor	0.9
Temperature	-20~45?

Light Characteristics

Lumens Brightness	1950
Color Rendering Index CRI	80
Emitted Color	Warm White
Color Temperature Kelvin	3000K

Fixture Characteristics

Style	Modern
Shape	Round
Number of Lights	1
Mounting	Pendant
Fixture Technology	LED
Use Location	Indoor

Additional Features

Safety Rating Mark	ETL - Damp Location
Safety Rated For Canada	Yes
Safety Rated For USA	Yes

Product Dimensions

Size	15"
MOL (in)	9
Diameter (in)	15
Package Dimension (in)	(W) 15 (H) 15 (D) 7
Package Weight (lb)	5.25

Product Data

Item UPC	653703813127
Warranty Years	5

ACCESSORIES:

Catalog # 98955-CMP
Swivel