

Sunlite 82078-SU LED Square Slim Downlight Retrofit Fixture, 4 Inch, 10 Watt, Dimmable, 650 Lumen, 1 Pack 40K - Cool White

Slim Downlight

DESCRIPTION:

These 4-inch square ultra slim downlights from Sunlite feature innovative technology that provides down lighting without all the labor. Use for new installations or as a retrofit replacement for existing recessed lighting. Perfect for residential, commercial, retail, office, hospitality and educational institutions. Built-in long life LED technology means 36,000 hours of maintenance free service. No ladders to climb or difficult to reach bulbs to replace. With an annual energy cost of \$1.2 (based on 3 hrs/day \$0.11 per/kWh) you'll save over 80% versus traditional bulbs. These dimmable fixtures are instant on with no warmup time. And no flickering or buzzing like fluorescent bulbs. They are ETL Listed for damp location installation and Energy Star Certified.

FEATURES:

- ULTRA SLIM DESIGN Shallow depth makes for easier installation, especially in low-clearance applications. No housing required. Use these 4-Inch square fixtures for new installations or as a retrofit replacement for existing recessed lighting.
- BRIGHT AND DIMMABLE These dimmable fixtures put out a bright 650 lumens at 4000K cool white color temperature. Transform the scene in any room simply by adjusting the lighting to suit the mood. From bright task lighting to a low relaxing setting and everything in between. Adjustable from 100% - 10%.
- ENERGY EFFICIENT Comparable output to 70 watt bulb with only 10 watts of energy useage. These Energy Star Certified fixtures may qualify you for state and local rebate programs.
- LONG LIFE LED Built-in long life LED technology means 36,000 hours of maintenance free service. No ladders to climb or difficult to reach bulbs to replace.
- COMMERCIAL AND RESIDENTIAL USE These energy efficient fixtures are a favorite among contractors, electricians, and home improvement professionals. Perfect for residential, commercial, retail, office, hospitality and educational institutions. ETL Listed for Damp Location installations.



SPECIFICATIONS:

General Characteristics

Bulb Shape Average Rated Hours

Finish

Average Life Span Years

Dimmable Dimming Type

Dimming Percentage

Material

Lens Material Lens Finish **Bulb Type**

Application

Electrical Characteristics

Watts 10 Volts 120 **Equivalent Wattage** 70

LED Chip Manufacturer

Light Characteristics Lumens Brightness

Power Factor

Temperature

650

0.9

Integrated LED

Incandescent)

Aluminum & Acrylic

10-100%

PMMA

White

Integrated

Residential

SMD2835

-20~+40?

Cool White

Forward Phase (Triac or

36000

White

33

Yes

80 17

R9 Rating **Emitted Color**

Color Temperature Kelvin

Fixture Characteristics

Number of Lights

Color Rendering Index CRI

Beam Angle

Shape

Mounting

IC Rating

Use Location

Square

Indoor

4000K 110°

1

Recessed

Yes Fixture Technology LED

Additional Features

Safety Rating Mark ETL - Damp Location Yes

Safety Rated For Canada Safety Rated For USA Yes Energy Star Yes

> yy Star Number 2332034

Product Dimensions

Size Diameter (in)

Item Dimension (in)

Item Weight (Ib) Package Dimension (in)

Package Weight (lb)

Cord Length

Product Data

Case Unit Rate Item UPC Warranty Years 4"

4.73

(W) 4.73 (H) 0.81 (D) 4.73

0.860

(W) 6.2 (H) 2.67 (D) 5.03

1.040

11" Cord

12

653703820781

5



ACCESSORIES:



Catalog # **87726-SU New**