

#### **Par Series**

## Sunlite LED PAR30 Reflector Outdoor Series 14W (75W Equivalent) Light Bulb Medium (E26) Base, Warm White

Outdoor Series

#### **DESCRIPTION:**

Sunlite LED lamps are extremely energy efficient and will greatly reduce your energy costs. These lamps can last up to 40,000 hours making them virtually maintenance free. They contain no mercury elements and do not release any hazardous gasses so there no need to worry in case a bulb breaks and no need for any special recycling as with CFLs. With their high efficiency, their low wattage does not mean you lose out on brightness. This 120 volt, 14 watt, par30 reflector outdoor series features a medium base, produces a stunning warm white light at 800 lumens, and can fit right into your living room or into the most cutting edge, state of the art, lighting design project.

#### FEATURES:

- These lamps can last up to 40,000 hours making them virtually maintenance free
- This 120 volt, 14 watt, PAR30 Reflector Outdoor Series Features a Medium Base
- Produces a spectacular warm white light at a 800 lumens, using only 14 watts of energy
- Contains no mercury and doesn't release any hazardous gasses so there's no need to worry if a bulb breaks and no need for recycling as with CFLs
- Can fit right into your living room or into the most cutting edge, state of the art, lighting design project

# sunlite

### **SPECIFICATIONS:**

#### **General Characteristics**

**Electrical Characteristics** 

_			
Droo	luct	Dimo	nsions
1100	ucu	JIIIC	11310113

Bulb Shape	PAR30LN	MOL (in)	4.6
Average Rated Hours	40000	Diameter (in)	3.74
Base	Medium Screw (E26)	Item Dimension (in)	(W) 3.73 (H) 3.73 (D) 4.62
Average Life Span Years	36	Package Dimension (in)	(W) 4.2 (H) 5.6 (D) 4.2
Dimmable	Yes	Package Weight (lb)	0.700

#### **Product Data**

Watts	14	Case Unit Rate	6
Volts	120	Pack Size	1
Equivalent Wattage	75	Item UPC	653703880532
LED Chip Manufacturer	Citizen	Package Type	Box

#### Light Characteristics

Lumens Brightness	800
Color Rendering Index CRI	80
Emitted Color	Warm White
Color Temperature Kelvin	2700K
Beam Angle	40°
Beam Angle Description	FL

#### **Additional Features**

Safety Rating Mark

UL Listed - Wet Location