

## Linear

### **DESCRIPTION:**

*Highlighting a dedication to quality and integrity, the Sunlite product line includes light bulbs of LED, linear fluorescent, compact fluorescent, incandescent, HID metal halide, halogen, decorative, and specialty lamps. In addition, the Sunlite line includes various indoor and outdoor commercial, Industrial, and residential fixtures. Electrical products include extension cords, socket adapters, wall plates, receptacles and switches, dimmers, timers, surge protectors, and much more.*

### **FEATURES:**

- 
- 
- 
- 
-

## SPECIFICATIONS:

### General Characteristics

Average Rated Hours	50000
Finish	White
Average Life Span Years	46
Dimmable	Yes
Dimming Type	0-10V Low Voltage
Dimming Percentage	0-100%
Material	Aluminum
Lens Material	Polycarbonate
Lens Finish	Clear

### Electrical Characteristics

Watts	220
Volts	120-347
LED Chip Manufacturer	SMD2835
Power Factor	.9
Temperature	-22°F~122°F

### Light Characteristics

Lumens Brightness	30000
Color Rendering Index CRI	80
Emitted Color	Super White
Color Temperature Kelvin	5000K
Beam Angle	90°
Flicker	<30%

### Fixture Characteristics

Style	Industrial
Shape	Linear
Number of Lights	2
Mounting	Pendant
Motion Sensor	Yes
Fixture Technology	LED
Use Location	Indoor

### Additional Features

Safety Rating Mark	UL Listed - Damp Location
Safety Rated For Canada	Yes
Safety Rated For USA	Yes
DLC	Yes
DLC Classification	Premium

### Product Dimensions

Size	24"
Item Dimension (in)	(W) 14.15 (H) 1.57 (D) 24

### Product Data

Item UPC	653703852966
Warranty Years	5

---

**ACCESSORIES:**

Catalog # 89699-SU  
MS/LFX/HB/V2

Catalog # 89785-SU  
RC/LFX/HB