

Sunlite 85450 LED 24"" Linear High Bay Light Fixture, 135 Watts, 17,550 Lumens, Dimmable, 120-277V, 50,000 Hour Life Span, Warehouse, Factory, Workshop Lighting, UL Listed, DLC Listed, 50K-Super White

### **DESCRIPTION:**

The 24-Inch LED Linear Commercial High Bay Fixtures from Sunlite are an energy efficient solution to your industrial lighting needs. Bright 17,550 lumen output while only using 135 watts of electricity. Long 50,000 hour maintenance free life span. This dimmable fixture can be installed on 120-277V electrical systems. Designed for use in warehouses, commercial garages, workshops, factories, or any indoor industrial environment. UL Listed for damp location installation. DLC Listed.

### FEATURES:

- UPGRADE TO LED Replace older high bay lights with energy efficient LEDs. These 24 x 13 inch linear fixtures feature a durable and lightweight aluminum body designed for pendant mounting finished in white. Great for new installations, too.
- SUPER WHITE LIGHT Color temperature is 5000K (super white) with a bright 17,550 lumen output. Dimmable from 100-10% when attached to a low voltage dimmer control (0-10V).
- LONG LIFE SPAN A long, 50,000 hour lifespan means years of reliable and maintenance free service with no bulbs to replace.
- COMMERCIAL GRADE High lumen output designed for use in warehouses, commercial garages, workshops, factories, or any indoor industrial environment.
- UL LISTED UL Listed for damp location installation. DLC Listed for design and quality. Designed for indoor use only. For use on 120/277 volt electrical systems.



### SPECIFICATIONS:

### **General Characteristics**

Average Rated Hours 50000 **Finish** 46 Average Life Span Years

Dimmable

**Dimming Percentage** Material Lens Finish

Dimming Type

White Yes

0-10V Low Voltage

10-100% **Aluminum** White

## Package Dimension (in) Package Weight (lb)

Size

Item UPC Warranty Years 24"

(W) 12.75 (H) 3.6 (D) 23.75

8.050

(W) 3.9 (H) 24.9 (D) 13

11.250

### **Electrical Characteristics**

Watts 135 **Volts** 120-277 **SEOUL 3528** LED Chip Manufacturer

### **Light Characteristics**

Lumens Brightness 17550 Color Rendering Index CRI 80

**Emitted Color** Super White Color Temperature Kelvin 5000K

# Fixture Characteristics

Industrial Style Shape Linear **Number of Lights** 1 Pendant Mounting **LED** Fixture Technology

### Additional Features

Use Location

Safety Rating Mark UL Listed - Damp Location

Indoor

Safety Rated For Canada Yes Safety Rated For USA Yes DLC Yes

**DLC Number** PLFK4558WRWT

**DLC Classification** Premium

### **Product Data**

**Product Dimensions** 

Item Dimension (in)

Item Weight (Ib)

653703854502 5



## **ACCESSORIES:**

Catalog # **89156-SU FM**