

**Sunlite 85478 4-Foot LED Linear Strip
Light Fixture, 25 Watts, 120-277 Volts,
Dimmable, 50,000 Hour Life Span, 5000K
Super White, 80 CRI, Surface Mount,
Steel Body, UL & DLC Listed**

DESCRIPTION:

Sunlite LED 4-Foot Linear Strip Light Fixtures are an energy efficient and maintenance free lighting solution. These hardwired fixtures have 56 built-in LEDs so there are no bulbs to replace. When connected to an LED compatible dimmer you can adjust light output to suit your needs. (Low Voltage 0-10V) These multi-volt 120-277V fixtures are ideal for a variety of commercial, industrial, and residential applications. Steel body with an acrylic lens designed for indoor use. With a 50,000 hour life span these fixtures will provide years of maintenance free service. Each fixture uses only 25 Watts of electricity and puts out super white light (5000K) at a bright 3250 lumens with a 110 degree beam angle. Estimated annual energy cost is a low \$3.01 (based on 3 hours/day at \$0.11/kWh). They are UL Listed for damp location use and DLC Listed for efficiency and design. The lens is made of shatterproof acrylic and unlike fluorescent tube fixtures they contain no harmful chemicals. Easy installation on any junction box. Fixture measures 47.30 in wide, 3.30 in high, and 3.60 in deep.

FEATURES:

- **LED TECHNOLOGY** - Replace your fluorescent shop lights with energy efficient LED linear fixtures from Sunlite. These 4-Foot long lamps have 70 built-in LEDs so there are no bulbs to replace making these a maintenance free solution.
- **DIMMABLE LED LIGHT** - When connected to an LED compatible dimmer you can adjust light output to suit your needs. (Low Voltage 0-10V)
- **MULTI-VOLT FIXTURES** - These hardwired 120-277 volt fixtures are ideal for a variety of commercial, industrial, and residential applications. Steel body with an acrylic lens designed for indoor use.
- **LONG LIFE, ENERGY EFFICIENT** - With a 50,000 hour life span these fixtures will provide years of maintenance free service. Each fixture uses only 25 Watts of electricity and puts out super white light (5000K) at a bright 3250 lumens with a 110 degree beam angle. Estimated annual energy cost is a low \$3.01 (based on 3 hours/day at \$0.11/kWh).
- **A SAFER CHOICE** - These fixtures are UL Listed for damp location use and DLC Listed for efficiency and design. The lens is made of shatterproof acrylic and unlike fluorescent tube fixtures they contain no harmful chemicals. Easy installation on any junction box. Fixture measures 47.30 in wide, 3.30 in high, and 3.60 in deep.

SPECIFICATIONS:

General Characteristics

Average Rated Hours	50000
Finish	White
Average Life Span Years	46
Dimmable	Yes
Dimming Type	0-10V Low Voltage
Dimming Percentage	10-100%
Material	Metal & Acrylic
Lens Finish	White

Electrical Characteristics

Watts	25
Volts	120-277
LED Chip Manufacturer	Seoul 3528
Power Factor	0.9
Temperature	-20-50°

Light Characteristics

Lumens Brightness	3250
Color Rendering Index CRI	80
Emitted Color	Super White
Color Temperature Kelvin	5000K
Beam Angle	110°

Fixture Characteristics

Shape	Linear
Number of Lights	1
Mounting	Surface
Fixture Technology	LED
Use Location	Indoor

Additional Features

Safety Rating Mark	UL Listed - Damp Location
Safety Rated For Canada	Yes
Safety Rated For USA	Yes
DLC	Yes
DLC Classification	Premium

Product Dimensions

Size	48"
Item Dimension (in)	(W) 3.3 (H) 3.6 (D) 47.3
Package Dimension (in)	(W) 4 (H) 4 (D) 49
Package Weight (lb)	6

Product Data

Case Unit Rate	6
Item UPC	653703854786
Warranty Years	5

ACCESSORIES:

Catalog # 97084-SU
MICROWAVE

Catalog # 85124-SU
LFX/TROFFER