

Sunlite 85484-SU 96-Inch Linear LED Strip Fixture, 75 Watts (1,000W Equivalent), 120-277 Volts, Dimmable, 9825 Lumens, UL Listed, DLC Listed, Commercial or Residential Use, 50K -Super White

## **DESCRIPTION:**

Sunlite 96-inch Linear LED Fixtures are an energy efficient lighting option for ceiling or wall mounting. This hard wired fixture is simple to install on any junction box and includes installation hardware. It features a durable steel body and a shatter-resistant acrylic lens. Output for this 8 foot fixture is a bright 9900 lumen while only using 75 watts of electricity. Low annual energy costs of \$9.03 (Based on 3 Hours/Day at \$0.11/kWh). These fixtures are dimmable when attached to an LED compatible dimmer (Low Voltage 0-10V). Integrated LEDs with a long 50,000 hour life span provide years of reliable and maintenance-free service. And unlike fluorescent tubes they are instant on at full brightness and contain no harmful chemicals. UL Listed for damp location installation. DLC Listed for quality and design. This indoor fixture is ideal for residential or commercial installations in stairwells, corridors, storage areas, basements, garages, warehouses, or anywhere extra lighting is needed. Operates on 120-277V service.

# FEATURES:

- LED TECHNOLOGY This 96-inch fixture has built-in LEDs that never need replacing. Color temperature is 5000K (Super White). Operates on 120-277V service. Ideal commercial or residential installations.
- EASY TO INSTALL Installation is simple on any junction box and installation hardware is included. Can be ceiling or wall mounted and features a durable steel body with a shatter-resistant acrylic lens.
- LONG LIFE With integrated LEDs and a long 50,000 hour life span this fixture will provide years of reliable and maintenance-free service.
- ENERGY EFFICIENT This fixture is instant on at full brightness and puts out 9900 lumens of light while only using 75 watts of electricity. Estimated annual energy cost is a low \$9.03 (Based on 3 hours/day at \$0.11/kWh). This fixture is dimmable when attached to an LED compatible dimmer (Low Voltage 0-10V).
- UL LISTED This fixture is UL Listed for safety and quality and DLC Listed for efficient design. And unlike fluorescent tube fixtures it contains no harmful chemicals.

(W) 3.3 (H) 3.3 (D) 94.2

(W) 94.2 (H) 3.2 (D) 3.6

96"

11.6



# SPECIFICATIONS:

### **General Characteristics**

Average Rated Hours **Finish** 46

Average Life Span Years

Dimmable Dimming Type

**Dimming Percentage** 

Material

Lens Finish

50000 White

Yes

0-10V Low Voltage

10-100%

Metal & Acrylic

White

# **Product Dimensions**

Size

Item Dimension (in) Package Dimension (in) Package Weight (lb)

**Product Data** 

Item UPC Warranty Years

653703854847

5

## **Electrical Characteristics**

Watts 75 **Volts** 120-277

**SEOUL 3528** LED Chip Manufacturer

# **Light Characteristics**

Lumens Brightness 9825 Color Rendering Index CRI 82

**Emitted Color** Super White Color Temperature Kelvin 5000K

### Fixture Characteristics

Shape Linear 1

Number of Lights

Surface Mounting Fixture Technology LED Use Location Indoor

## Additional Features

Safety Rating Mark UL Listed - Damp Location

Safety Rated For Canada Yes Safety Rated For USA Yes Yes **DLC** 

PLQGCNDO8K3W **DLC Number** 

**DLC Classification** Premium



# **ACCESSORIES:**

Catalog # 97084-SU MICROWAVE

Catalog # 85364-SU LFX/EC

Catalog # 85124-SU LFX/TROFFER