

## **DESCRIPTION:**

Highlighting a dedication to quality and integrity, the Sunlite product line includes light bulbs of LED, linear fluorescent, compact fluorescent, incandescent, HID metal halide, halogen, decorative, and specialty lamps. In addition, the Sunlite line includes various indoor and outdoor commercial, Industrial, and residential fixtures. Electrical products include extension cords, socket adapters, wall plates, receptacles and switches, dimmers, timers, surge protectors, and much more.

## **FEATURES:**

- •
- •
- \_
- .



## SPECIFICATIONS:

#### **General Characteristics**

**Bulb Shape** Integrated LED Average Rated Hours 50000 White **Finish** Average Life Span Years 46

Dimmable Yes 0-10V Low Voltage **Dimming Type** 

**Dimming Percentage** 10-100% Material **Aluminum** Flat Panel Lens White Lens Finish **Bulb Type** Integrated

#### **Electrical Characteristics**

Watts 50 **Volts** 120-277 LED Chip Manufacturer B4 2835 Power Factor 0.9 **Temperature** -20-50° **Total Harmonic Distortion** 0.15

## **Light Characteristics**

Lumens Brightness 5560 Color Rendering Index CRI 80

**Emitted Color** Super White 5000K Color Temperature Kelvin Beam Angle 110°

## Fixture Characteristics

Style Flat Shape Rectangle **Number of Lights** 1 Mounting Pendant **LED** Fixture Technology Use Location Indoor

# Additional Features

Safety Rating Mark UL Listed - Damp Location

Safety Rated For Canada Yes Safety Rated For USA Yes **DLC** Yes

**DLC Number** PLLHCGGZ5DCE

**DLC Classification** Standard

#### **Product Dimensions**

Size 2X4 Item Dimension (in) (W) 23.74 (H) 47.76 (D) 1.61

## **Product Data**

Case Unit Rate 1 4 Pack Size

Item UPC 653703854977 5

Warranty Years



## **ACCESSORIES:**

Catalog # 85149-SU LFX/FLAT/2X4

Catalog # **89156-SU EM**