

Spiral

Sunlite 05512-SU CFL Spiral Colored Bulb, 24 Watt (100W Equivalent), Medium Base (E26), 8,000 Hour Life Span, UL Listed, Green 1 Pack

Colored Spiral

DESCRIPTION:

Sunlite colored CFL spiral bulbs deliver beautiful, vivid colors. Consuming only 24 watts of energy while putting out as much light as a 100-watt bulb, they offer significant energy savings over incandescent and halogen bulbs. They also remain cooler to the touch when lit. Ideal for parties, special events, and holiday decorations. They feature a medium base (E26) and fit in most standard fixtures. With a lamp life of 8,000 hours, they last more than six times longer than incandescent bulbs. UL Listed.

FEATURES:

- VIVID COLOR This Sunlite green spiral compact fluorescent bulb features the most vivid color output. Standard medium base (E26) means they fit in to a wide variety of fixtures. Lamps, pendants, wall fixtures, displays, and more.
- FESTIVE LIGHTING Set the mood by simply swapping out the bulbs and adding some color. Ideal for parties, special events, and holiday decorations. Great for showing your support for special causes or just adding some color to every day.
- ENERGY EFFICIENT Consuming only 24 watts of electricity, these compact fluorescent bulbs put out as much light as a 100 watt incandescent bulb. They have an estimated energy cost of \$2.89 a year based on 3 hours use per day at \$0.11/kWh.
- LONG LIFE These cool to the touch bulbs have an average life of up to 8,000 hours they last more than 6 times longer than incandescent bulbs.
- UL LISTED Tested to meet UL's strict design and safety requirements.



sunlite

Product Dimensions

Bulb Shape	<i>T</i> 3	MOL (in)	5.00			
Average Rated Hours	8000	Diameter (in)	2.1			
Base	Medium Screw (E26)	Item Dimension (in)	(W) 2.1 (H) 5 (D) 2.1			
Average Life Span Years	7	Package Dimension (in)	(W) 2.3 (H) 5.6 (D) 2.3			
		Package Weight (lb)	0.150			
Electrical Characteristics						
Watts	24	Product Data				
Volts	120	Case Unit Rate	24			
Power Factor	0.5	Pack Size	1			
		Item UPC	653703055121			
Light Characteristics		Package Type	Box			
Color Rendering Index CRI	80					
Emitted Color	Green					
Additional Features						

Safety Rating Mark

UL Listed





VARIATIONS:











05514-SU

ltem Number	Description	Watts	CRI	Color	Hours	Pack
05512-SU	SL24	24	80	GREEN	8000	1
05511-SU	SL24	24	80	BLUE	8000	1
05513-SU	SL24	24	80	RED	8000	1
05514-SU	SL24	24	80	YELLOW	8000	1