

#### Spiral

Sunlite 05544-SU High Wattage CFL Spiral Light Bulb, 105 Watts (400W Equivalent), 277 Volt, Mogul Base (E39), 5000 Lumens, 8,000 Hour Life Span, 30K -Warm White

High Wattage Spiral

### **DESCRIPTION:**

Sunlite 277 Volt CFL High Wattage Spiral Bulbs are an energy efficient, long life solution to your lighting needs. Using only 105 watts these compact fluorescent bulbs put out as much light as 400 watt incandescent bulbs. Warm white color temperature (3000K) provides comfortable lighting anywhere you need warm light. 5000 Lumen output. Mogul Base (E39) works with a variety of commercial and industrial fixtures. With a 8,000 hour life span these bulbs last more than 6 times longer than traditional bulbs. Bulb is 4.03 inches in diameter, 11.3 inches in overall height.

## FEATURES:

- COMPACT FLUORESCENT Sunlite CFL 277 Volt High Wattage Spiral Bulbs are an energy efficient, long life solution to your lighting needs.
- MOGUL BASE Mogul base (E39) works with a variety of commercial and industrial fixtures. Bulb is 4.03 inches in diameter, 11.3 inches in overall height.
- WARM WHITE Warm white color temperature (3000K) provides a comfortable glow wherever you need warm light. 5000 Lumen output.
- ENERGY EFFICIENT Using only 105 watts these compact fluorescent bulbs put out as much light as 500 watt incandescent bulbs.
- LONG LIFE With a 8,000 hour life span these bulbs last more than 6 times longer than traditional bulbs.



# sunlite

### **Product Dimensions**

Bulb Shape	<i>T5</i>	MOL (in)	11.30		
Average Rated Hours	8000	Diameter (in)	4.032"		
Base	Mogul Screw (E39)	Item Dimension (in)	(W) 4.03 (H) 11.3 (D) 4.03		
Average Life Span Years	7	Package Dimension (in)	(W) 5 (H) 13.25 (D) 5		
Electrical Characteristics		Package Weight (lb)	1.260		
Watts	105	Product Data			
Volts	277	Case Unit Rate	6		
		Pack Size	1		
Light Characteristics		Item UPC	653703055442		
Lumens Brightness	5000	Package Type	Box		
Color Rendering Index CRI	80				
Emitted Color	Warm White				
Color Temperature Kelvin	3000K				



## VARIATIONS:



Item Number	Description	Watts	Lumens	CRI	Kelvin Color	Hours	Pack
05544-SU	SL105/30K/277V	105	5000	80	3000K WW	8000	1
05563-SU	SL105/41K/277V	105	5000	80	4100K CW	8000	1