

Spiral

Sunlite 05569-SU Purion CFL T3 Spiral Light Bulb, 15 Watts (60W Equivalent), 900 Lumens, Built-In Air Purifying Technology, Medium Base (E26), UL Listed, 65K - Daylight 1 Pack

Purion Air Purification Spiral

DESCRIPTION:

Turn standard lamps and light fixtures into an air purification system with this Sunlite CFL Purion Bulb. Hidden inside is a unique ionizer that emits millions of powerful pollution fighting ions into the air every second. These ions attach themselves to airborne pollutants such as smoke, pollen, viruses and odor causing bacteria and cause them to literally fall to the ground where they can be safely cleaned away. Standard medium base (E26) works with a variety of lamps and fixtures. Ideal for use in homes, offices, hotels rooms, hospitals, public spaces, dorm rooms, or anywhere that can benefit from cleaner air. Our Purion lamp lasts up to 10 times longer than your average incandescent light bulb. UL Listed.

FEATURES:

- AIR PURIFICATION BULB Turn standard lamps and light fixtures into an air purification system with this Sunlite CFL Purion Bulb. Hidden inside is a unique ionizer that emits millions of powerful pollution fighting ions into the air every second. These ions attach themselves to airborne pollutants such as smoke, pollen, viruses and odor causing bacteria and cause them to literally fall to the ground where they can be safely cleaned away.
- DAYLIGHT Puts out a daylight-like light (6500K) that provides ample task lighting for kitchens, reading areas, offices, showrooms, workshops or anywhere you need bright light. Standard medium base (E26) works with a variety of lamps and fixtures.
- ENERGY SAVING These bulbs put out as much light as a 60 watt incandescent bulb while only using 15 watts of energy. Annual estimated energy cost of only \$1.81 (based on 3 hours/day at \$0.11/kWh). Bright 900 lumen output.
- LONG LIFE With a 10,000 hour life span these bulbs will last up to 10 times longer than traditional bulbs so you'll replace them less often. Ideal for use in homes, offices, hotels rooms, hospitals, public spaces, dorm rooms, or anywhere that can benefit from cleaner air.
- UL LISTED Tested to meet UL's strict quality and safety standards.





SPECIFICATIONS:

General Characteristics

Bulb ShapeT3Average Rated Hours10000BaseMedium Screw (E26)Average Life Span Years9

Electrical Characteristics

Watts 15
Volts 120
Equivalent Wattage 60

Light Characteristics

Lumens Brightness900Color Rendering Index CRI80Emitted ColorDaylightColor Temperature Kelvin6500KMercury Content>0.5

Additional Features

Safety Rating Mark UL Listed FCT Label Mercury Content Yes

Product Dimensions

 MOL (in)
 5.32

 Diameter (in)
 2.358"

 Item Dimension (in)
 (W) 2.36 (H) 5.32 (D) 2.36

 Package Dimension (in)
 (W) 2.44 (H) 6.13 (D) 2.44

 Package Weight (lb)
 0.290

Product Data

 Case Unit Rate
 12

 Pack Size
 1

 Item UPC
 653703055695

 Package Type
 Box





VARIATIONS:



Item Number	Description	Watts	Eq Watts	Lumens	CRI	Kelvin Color	Hours	Pack
05569-SU	AP15/65K	15	60	900	80	6500K DL	10000	1
05572-SU	AP23/65K	23	100	1500	80	6500K DL	10000	1