

**Spiral****Sunlite 05588-SU High Wattage CFL  
Spiral Light Bulb, 105 Watts (400W  
Equivalent), Medium Base (E26), 5800  
Lumens, 8,000 Hour Life Span, CE  
Certified, RoHS Compliant, 30K - Warm  
White**

High Wattage Spiral

**DESCRIPTION:**

*Sunlite CFL High Wattage Spiral Bulbs are an energy efficient, long life solution to your lighting needs. Using only 105 watts these compact fluorescent bulbs put out as much light as 400 watt incandescent bulbs. Warm white color temperature (3000K) provides comfortable lighting anywhere you need warm light. 5800 Lumen output. Medium Base (E26) works with a variety of commercial and industrial fixtures. With a 8,000 hour life span these bulbs last more than 6 times longer than traditional bulbs. 3.85 inches in diameter, 10.97 inches in overall height.*

**FEATURES:**

- **COMPACT FLUORESCENT** - Sunlite CFL High Wattage Spiral Bulbs are an energy efficient, long life solution to your lighting needs. Medium base (E26) works with a variety of commercial and industrial fixtures.
- **WARM WHITE** - Warm white color temperature (3000K) provides comfortable lighting for anywhere you need warm light. 5800 Lumen output.
- **ENERGY EFFICIENT** - Using only 105 watts these compact fluorescent bulbs put out as much light as 400 watt incandescent bulbs.
- **LONG LIFE** - With a 8,000 hour life span these bulbs last more than 6 times longer than traditional bulbs.
- **SAFETY RATED** - CE Certified and RoHS Compliant. Bulbs measure 3.85 inches in diameter, 10.97 inches in overall height.



## SPECIFICATIONS:

### General Characteristics

<b>Bulb Shape</b>	T5
<b>Average Rated Hours</b>	8000
<b>Base</b>	Medium Screw (E26)
<b>Average Life Span Years</b>	7

### Electrical Characteristics

<b>Watts</b>	105
<b>Volts</b>	120
<b>Equivalent Wattage</b>	400
<b>Power Factor</b>	0.5

### Light Characteristics

<b>Lumens Brightness</b>	5800
<b>Color Rendering Index CRI</b>	80
<b>Emitted Color</b>	Warm White
<b>Color Temperature Kelvin</b>	3000K

### Additional Features

<b>Rohs Compliant</b>	Yes
<b>CE Certified</b>	Yes
<b>FCT Label Mercury Content</b>	Yes

### Product Dimensions

<b>MOL (in)</b>	10.97
<b>Diameter (in)</b>	3.845"
<b>Item Dimension (in)</b>	(W) 3.85 (H) 10.97 (D) 3.85
<b>Package Dimension (in)</b>	(W) 5 (H) 13.25 (D) 5
<b>Package Weight (lb)</b>	1.270

### Product Data

<b>Case Unit Rate</b>	6
<b>Pack Size</b>	1
<b>Item UPC</b>	653703055886
<b>Package Type</b>	Box

**VARIATIONS:**



Item Number	Description	Watts	Eq Watts	Lumens	CRI	Kelvin Color	Hours	Pack
05588-SU	SL105/30K/120V	105	400	5800	80	3000K WW	8000	1