

G Series

**Sunlite 05690-SU Sunlite CFL G21
Colored Globe Bulb, 9 Watts (40W
Equivalent), 120 Volts, Medium (E26)
Base, Compact Fluorescent, 8,000 Hours,
UL Listed, Yellow 1 Pack**
Colored Globe

DESCRIPTION:

Sunlite Compact Fluorescent G21 Globe Bulbs deliver beautiful, vivid color. Consuming only 9 watts of energy while putting out as much light at a 40 watt, they offer significant energy savings over incandescent bulbs. Ideal for parties, special events, and holiday decorations. These glass globe bulbs remain cooler to the touch when lit. They are medium based bulbs (E26) and fit in most fixtures. With a lamp life of 8,000 hours they last more than 6 times longer than incandescent bulbs. UL Listed. Bulbs are 2.62 inches in diameter and 4.63 inches in overall height.

FEATURES:

- **VIVID COLOR** - These Sunlite Yellow G21 compact fluorescent bulbs feature a colored glass globe for the most vivid color output. Standard medium base (E26) means they fit in to a wide variety of fixtures. Lamps, pendant lights, ceiling lights, porch lights, string lights, signs, displays, and more.
- **FESTIVE LIGHTING** - Set the mood by simply swapping out the bulbs and adding some color. Ideal for parties, special events, and holiday decorations. Great for showing your support for special causes or just adding some color to every day.
- **ENERGY EFFICIENT** - Consuming only 9 watts of electricity, these compact fluorescent bulbs have an estimated energy cost of \$1.08 a year based on 3 hours use per day at \$0.11/kWh.
- **LONG LIFE** - These cool to the touch bulbs have an average life of up to 8,000 hours they last more than 6 times longer than incandescent bulbs.
- **UL LISTED** - Tested to meet UL's strict design and safety requirements. Bulbs are 2.62 inches in diameter and 4.63 inches in overall height.



SPECIFICATIONS:

General Characteristics

Bulb Shape	G21
Average Rated Hours	8000
Base	Medium Screw (E26)
Average Life Span Years	7

Electrical Characteristics

Watts	9
Volts	120

Light Characteristics

Color Rendering Index CRI	80
Emitted Color	Yellow

Additional Features

Safety Rating Mark	UL Listed
---------------------------	-----------

Product Dimensions

MOL (in)	4.63
Diameter (in)	2.642"
Item Dimension (in)	(W) 2.64 (H) 4.63 (D) 2.64
Package Dimension (in)	(W) 2.75 (H) 5 (D) 2.75
Package Weight (lb)	0.230

Product Data

Case Unit Rate	24
Pack Size	1
Item UPC	653703056906
Package Type	Box



VARIATIONS:



05690-SU



05680-SU



05660-SU



05670-SU

<i>Item Number</i>	<i>Description</i>	<i>Watts</i>	<i>CRI</i>	<i>Color</i>	<i>Hours</i>	<i>Pack</i>
05690-SU	SLG9/G21	9	80	YELLOW	8000	1
05680-SU	SLG9/G21	9	80	PINK	8000	1
05660-SU	SLG9/G21/GREEN	9	80	GREEN	8000	1
05670-SU	SLG9/G21/RED	9	80	RED	8000	1