

Plug-In**Sunlite 28 Watt FDL 2-Pin Quad Tube,
GX32D-2 Base, Super White**


FDL 2-Pin Quad Tube

DESCRIPTION:

Sunlite compact fluorescent plug-in lamps are available in a wide range of sizes, wattages, color temperatures and pin configurations. This Sunlite 28 watt compact fluorescent FDL plug-in light bulb offers a light output of 1350 lumens and a color accuracy of 80 CRI . It has an average lamp life of 10,000 hours. The 5000K color temperature produces a super white light. This lamp fits a GX32D-2 socket. Make sure the base precisely matches your fixtures socket as this lamp will only work with the specific external electronic ballast it is a designed for.

FEATURES:

- 28 Watt, 1350 Lumens, 80 CRI
- 10,000 Hours Average Lamp Life
- 2-Pin & 4-Pin GX32D-2 Base
- 5000K Color Temperture, Super White Color
-



SPECIFICATIONS:

General Characteristics

Bulb Shape	FDL
Average Rated Hours	10000
Base	2-Pin (GX32d3)
Average Life Span Years	9

Electrical Characteristics

Watts	28
-------	----

Light Characteristics

Lumens Brightness	1350
Color Rendering Index CRI	80
Emitted Color	Super White
Color Temperature Kelvin	5000K


Product Dimensions

MOL (in)	6.38
Diameter (in)	1.738"
Item Dimension (in)	(W) 1.8 (H) 6.4 (D) 1.74
Package Dimension (in)	(W) 1.8 (H) 7.1 (D) 1.9
Package Weight (lb)	0.250

Product Data

Case Unit Rate	10
Pack Size	1
Item UPC	653703057651

VARIATIONS:



Item Number	Description	Watts	Lumens	CRI	Kelvin Color	Hours	Pack
05765-SU	FDL28/50K	28	1350	80	5000K SW	10000	1
05760-SU	FDL28/30K	28	1350	80	3000K WW	10000	1