

Par Series

Sunlite 80966 LED PAR30 Reflector Light Bulb, 9 Watts (75 Watts Equivalent), 750 Lumens, Medium E26 Base, 90 CRI, Dimmable, Floodlight, ETL Listed, 1 Count, 27K-Warm White 90CRI Series

DESCRIPTION:

Upgrade your incandescent and halogen PAR30 bulbs with energy efficient LED bulbs from Sunlite. These medium base (E26) bulbs are direct replacements for your track lighting, accent lighting, pendant fixtures and more. They remain cooler to the touch than other bulbs making them safe for enclosed fixtures. They give off as much light as a 75-watt bulb while only using 9 watts of power. Estimated yearly energy cost is a low \$1.08. (Based on 3 hours/day use at \$0.11/kWh) At 2700K these warm white, dimmable bulbs provide a comforting glow in bedrooms, living spaces or anywhere you want to set relaxed mood. Bright 750 lumen output and 25,000 hour life span for years of maintenance-free use. Compatible Dimmers: LEVITON 6681, 6674, 6633P, IPL06, IPI06, VPM10, RTD01-10Z, IPE04, 6161, RPI06-1, 1B3211, 1C1311 & LUTRON S-600P, LGCL-153P, LGCL-153PL, LGCL-153PLH, MACL-153M, MAELV-600, DVELV-300P, DVCL-153P, CTCL-153P, VTELV-600M, CTELV-303P, DVELV-303P, RRD-6NA, DVCL-153P, NTLV-600, S-603P, DV-600P, DV-603P, V47-C06579, SLV-600P, IPX10-1, SELV-300P, MRF2-3LDH, DVWCL-153PH. SCL-153P.

FEATURES:

- **UPGRADE TO LED** - Replace incandescent and halogen PAR30 bulbs with energy efficient LED bulbs from Sunlite. These dimmable bulbs have a medium base (E26) and remain cooler to the touch even when lit.
- **ENERGY STAR CERTIFIED** - They give off as much light as a 75-watt bulb while only using 9 watts of power. Estimated yearly energy cost is a low \$1.08. (Based on 3 hours/day use at \$0.11/kWh) These bulbs are Energy Star Certified and may qualify you for state and local rebates.
- **LONG LIFE** - Long life LED technology means up to 25,000 hours of reliable service so you'll need to replace difficult to access bulbs less often. High color rendering of 90 CRI.
- **WARM WHITE LIGHT** - At 2700K these warm white bulbs provide a comforting glow in bedrooms, living spaces or anywhere you want to set relaxed mood. 750 lumen output beam angle.

SES - Ideal for use in track lighting, accent lighting, decorative lamps and more. Low surface temperature makes them safe for enclosed fixtures. ETL Listed for safe installation.



SPECIFICATIONS:

General Characteristics

| | |
|--------------------------------|---------------------------------------|
| Bulb Shape | PAR30 |
| Average Rated Hours | 25000 |
| Finish | White |
| Base | Medium Screw (E26) |
| Average Life Span Years | 23 |
| Dimmable | No |
| Dimming Type | Forward Phase (Triac or Incandescent) |
| Material | Plastic |

Electrical Characteristics

| | |
|---------------------------|--------------|
| Amps | .120 |
| Watts | 9 |
| Volts | 120 |
| Equivalent Wattage | 75 |
| Power Factor | 0.7 |
| Temperature | -4°F - 113°F |

Light Characteristics

| | |
|----------------------------------|------------|
| Lumens Brightness | 750 |
| Color Rendering Index CRI | 90 |
| CBCP | 1640 |
| Emitted Color | Soft White |
| Color Temperature Kelvin | 2700K |
| Beam Angle | 35° |
| Beam Angle Description | Flood |

Additional Features

| | |
|---------------------------|-------------------------------|
| Energy Star | Yes |
| Energy Star Number | 2399195 |
| Title 20 | Lawful for sale in California |

Product Dimensions

| | |
|-------------------------------|----------------------------|
| MOL (in) | 3.44 |
| Diameter (in) | 3.75 |
| Item Dimension (in) | (W) 3.75 (H) 3.44 (D) 3.75 |
| Package Dimension (in) | (W) 4 (H) 4 (D) 4 |
| Package Weight (lb) | 0.024 |

Product Data

| | |
|-----------------------|--------------|
| Case Unit Rate | 6 |
| Pack Size | 1 |
| Item UPC | 653703809663 |
| Warranty Years | 3 |
| Package Type | Box |

ACCESSORIES:



Catalog # **88048-SU**
PAR30/LED/10W/FL40/DIM/ES/90/27K