

Sunlite 81305 LED 15" Modern Ceiling Mount Decorative Fixture, 30 Watts (200W=), 2500 Lumens, Color Selectable 30k/40K/50K, Dimmable, 80 CRI, ETL Listed, Satin Nickel, for Residential & Commercial Use

Solid

DESCRIPTION:

Sunlite's LED 15" Modern Ceiling Mount Decorative Fixture embodies the neatness of a minimalist design and provides a wide range of visual satisfaction. With an output of bright 2500 lumens, this dimmable fixture uses only 30-watts of electricity while producing as much light as a 200-watt light bulb. When installing these fixtures, you can choose the color temperature between 5000K Daylight, 4000K Cool White, or 3000K Warm White, depending on your preferences. This fixture is a lowmaintenance lighting option because it has built-in LEDs and a lifespan of up to 50,000 hours with an 80 CRI. No more using ladders to reach high-up fixtures and changing bulbs. These fixtures have ETL listings for installation in damp locations. Ideal for use in hotels, restaurants, kitchens, hallways, dining rooms, offices, and other places where downlighting is required. Installation instructions and hardware included.

FEATURES:

- POLISHED DESIGN It has a sleek design and a sophisticated satin nickel finish, which will go with any decor. With its aluminum and steel material, it will surely last for years.
- COLOR SELECTABLE With an output of bright 2500 lumens, this dimmable fixture uses only 30-watts of electricity while producing as much light as a 200-watt light bulb. When installing these fixtures, you can choose the color temperature between 5000K Daylight, 4000K Cool White, or 3000K Warm White, depending on your preferences.
- LONG LIFE LED This fixture is a low-maintenance lighting option because it has built-in LEDs and a lifespan of up to 50,000 hours with an 80 CRI. No more using ladders to reach high-up fixtures and changing bulbs.
- DIMMABLE The lighting output can be changed when connected to an LED-compatible dimmer switch (10-100%), allowing it to adapt to any lighting to suit the mood.
- ETL LISTED These fixtures are ETL Listed for installation in damp locations. Ideal for use in hotels, restaurants, kitchens, hallways, dining rooms, offices, and other places where downlighting is required. Installation instructions and hardware included.



sunlite

SPECIFICATIONS:

General Characteristics

	Catalog # 81305-SU
LFX/	MPM/15"/30W/SCT/SN

General Characteristics		Product Dimensions	
Average Rated Hours	50000	Size	15"
Finish	Brushed Nickel	MOL (in)	9"
Average Life Span Years	46	Diameter (in)	15"
Dimmable	Yes	Item Dimension (in)	(W) 14.94 (H) 9 (D) 14.94
Material	Aluminum & Steel	Package Dimension (in)	(W) 16.8 (H) 4.75 (D) 16.8
Lens Material	Acrylic	Package Weight (lb)	5.11
Lens Finish	White		
		Product Data	

Electrical Characteristics

Watts	30
Volts	120
Equivalent Wattage	200
LED Chip Manufacturer	SMD2835
Power Factor	0.98
Temperature	-20+45°C

Light Characteristics

Lumens Brightness	2500
Color Rendering Index CRI	80
Emitted Color	CCT Selectable
Color Temperature Kelvin	30K/40K/50K
Beam Angle	110°
Flicker	<30%

Fixture Characteristics

Mounting	
Fixture Technology	
Use Location	

Additional Features

Safety Rating Mark Safety Rated For Canada ETL - Damp Location Yes

Pendant LED Indoor

Product Dimensions

Size	15"	
MOL (in)	9"	
Diameter (in)	15"	
ltem Dimension (in)	(W) 14.94 (H) 9 (D) 14.94	
Package Dimension (in)	(W) 16.8 (H) 4.75 (D) 16.8	
Package Weight (lb)	5.11	

Product Data

Item UPC	653703813059
Warranty Years	5



ACCESSORIES:

Catalog # 98955-CMP Swivel