

**DESCRIPTION:**

*Highlighting a dedication to quality and integrity, the Sunlite product line includes light bulbs of LED, linear fluorescent, compact fluorescent, incandescent, HID metal halide, halogen, decorative, and specialty lamps. In addition, the Sunlite line includes various indoor and outdoor commercial, Industrial, and residential fixtures. Electrical products include extension cords, socket adapters, wall plates, receptacles and switches, dimmers, timers, surge protectors, and much more.*

**FEATURES:**

- 
- 
- 
- 
-

## SPECIFICATIONS:

### General Characteristics

<b>Bulb Shape</b>	Integrated LED
<b>Average Rated Hours</b>	50000
<b>Finish</b>	White
<b>Average Life Span Years</b>	46
<b>Dimmable</b>	Yes
<b>Material</b>	Aluminum
<b>Lens</b>	Flat Panel
<b>Lens Finish</b>	White
<b>Bulb Type</b>	Integrated

### Electrical Characteristics

<b>Watts</b>	40
<b>Volts</b>	100-277
<b>LED Chip Manufacturer</b>	SMD2835
<b>Power Factor</b>	0.9
<b>Temperature</b>	-20° to 45°

### Light Characteristics

<b>Lumens Brightness</b>	4000
<b>Color Rendering Index CRI</b>	80
<b>Emitted Color</b>	Super White
<b>Color Temperature Kelvin</b>	5000K
<b>Beam Angle</b>	100°

### Fixture Characteristics

<b>Style</b>	Flat
<b>Shape</b>	Square
<b>Number of Lights</b>	1
<b>Mounting</b>	Recessed
<b>IC Rating</b>	Yes
<b>Fixture Technology</b>	LED
<b>Use Location</b>	Indoor

### Additional Features

<b>Safety Rating Mark</b>	ETL Listed - Dry Location
<b>DLC</b>	Yes
<b>DLC Classification</b>	Standard

### Product Dimensions

<b>Size</b>	2X2
<b>MOL (in)</b>	23.74
<b>Diameter (in)</b>	23.74
<b>Item Dimension (in)</b>	(W) 23.74 (H) 2.5 (D) 23.74

### Product Data

<b>Case Unit Rate</b>	1
<b>Pack Size</b>	2
<b>Item UPC</b>	653703853734
<b>Warranty Years</b>	3

## **ACCESSORIES:**

Catalog # 85148-SU  
LFX/FLAT/2X2

Catalog # 85082-SU  
LFX/FLAT/2X2/RECESED

Catalog # 85124-SU  
LFX/TROFFER

Catalog # 89156-SU  
EM