

DESCRIPTION:

Highlighting a dedication to quality and integrity, the Sunlite product line includes light bulbs of LED, linear fluorescent, compact fluorescent, incandescent, HID metal halide, halogen, decorative, and specialty lamps. In addition, the Sunlite line includes various indoor and outdoor commercial, Industrial, and residential fixtures. Electrical products include extension cords, socket adapters, wall plates, receptacles and switches, dimmers, timers, surge protectors, and much more.

FEATURES:

-
-
-
-
-



SPECIFICATIONS:

General Characteristics

Bulb Shape	Integrated LED
Average Rated Hours	50000
Finish	White
Average Life Span Years	46
Dimmable	No
Dimming Type	0-10V Low Voltage
Dimming Percentage	10%-100%
Material	Aluminum
Lens	Flat Panel
Lens Material	PMMA
Lens Finish	White
Bulb Type	Integrated

Product Dimensions

Size	2X2
MOL (in)	23.74
Diameter (in)	23.74
Item Dimension (in)	(W) 23.75 (H) 0.4 (D) 23.75
Package Dimension (in)	(W) 26.15 (H) 24.9 (D) 3.2
Package Weight (lb)	8.500

Product Data

Case Unit Rate	1
Pack Size	2
Item UPC	653703853741
Warranty Years	3

Electrical Characteristics

Watts	40
Volts	100-277
LED Chip Manufacturer	SMD2835
Power Factor	0.9
Temperature	-20° to 45°

Light Characteristics

Lumens Brightness	4000
Color Rendering Index CRI	80
Emitted Color	Daylight
Color Temperature Kelvin	6500K
Beam Angle	100°

Fixture Characteristics

Style	Flat
Shape	Square
Number of Lights	1
Mounting	Recessed
IC Rating	Yes
Fixture Technology	LED
Use Location	Indoor

Additional Features

Safety Rating Mark	ETL - Damp Location
---------------------------	---------------------



ACCESSORIES:



Catalog # 85148-SU
LFX/FLAT/2X2



Catalog # 85082-SU
LFX/FLAT/2X2/RECESED



Catalog # 85124-SU
LFX/FLAT/2X2/1X4