

Specialty

Sunlite 03335-SU Q150T3/CL/S Halogen 78MM Double-Ended T3 Light Bulb, 150 Watts, 1950 Lumen, 120-Volts, RSC Base (R7s), Dimmable, Output, 2,000 Hour Life Span, Clear, 3200K - Warm White 1 Pack Double Ended T3

DESCRIPTION:

Sunlite Halogen bulbs produce a higher lumen-per-watt (LPW) output than traditional lamps. These clear 150-watt double ended T3 bulbs are 78MM in length and feature a recessed single contact base (R7s). Output is 1950 lumens at 3200K bright white color temperature. They are dimmable when installed in a fixture attached to a dimmer control. Long 2,000 hour life span for up to 1.8 years of reliable service (based on 3 hrs/day use). Use in lamps, work lights, ceiling fixtures, wall sconces, outdoor fixtures, security lighting, and more. RoHS Compliant, CE Certified, and Mercury Free. Overall length is 3.08 inches (78MM). ANSI Code J78.

FEATURES:

- HALOGEN T3 LAMPS Sunlite Halogen bulbs produce a higher lumen-per-watt (LPW) output than traditional lamps. These clear 150-watt double ended T3 bulbs are 78MM in length.
- RSC BASE They feature a recessed single contact base (R7s). For use in lamps, work lights, ceiling fixtures, wall sconces, outdoor fixtures, security lighting, and more.
- 1950 LUMEN OUTPUT Output is 1950 lumens at 3200K bright white color temperature.
- DIMMABLE These lamps are dimmable when installed in a fixture with dimming control. Long 2000 hour life span for up to 1.8 years of reliable service (based on 3 hrs/day use).
- SAFETY CERTIFIED RoHS Compliant, CE Certified, and Mercury Free. Overall length is 3.08 inches (78MM). ANSI Code J78.





SPECIFICATIONS:

General Characteristics

Bulb Shape Ansi code Average Rated Hours **Finish** Base

Average Life Span Years

Electrical Characteristics

Watts 150 Volts 120

Light Characteristics

Lumens Brightness Color Rendering Index CRI

Emitted Color Color Temperature Kelvin

Additional Features

*T*3 J78 1500 Clear

Recessed Single Contact (R7s) Package Dimension (in)

Product Dimensions

Size MOL (in) Diameter (in) Item Dimension (in) Package Weight (lb)

Product Data

Case Unit Rate Pack Size Item UPC

3.10 0.4

78mm

(W) 0.4 (H) 3.1 (D) 0.4 (W) 3.8 (H) 0.9 (D) 0.9 1

12 1

653703033358



1

1950

100

3200K

Bright White

Yes Mercury Free





VARIATIONS:



Iter	m Number	Description	Watts	Lumens	CRI	Kelvin Color	Hours	Pack
033	335-SU	Q150T3	150	1950	100	3200K BW	1500	1
033	325-SU	Q100T3	100	1000	100	3200K BW	1500	1
033	345-SU	Q200T3	200	2800	100	3200K BW	1500	1
033	355-SU	Q250T3	250	4000	100	3200K BW	1500	1