

ST Series

Sunlite 8 Watt T5 Straight Tube, Mini Bi-Pin Base, Warm White

T5 Straight Tube

DESCRIPTION:

Sunlite fluorescent lamps are very popular for use in office and other lighting applications. The characteristics of fluorescent lamps vary type of lamp. Fluorescent lamps are used so widely due to their low operating costs and because they are efficient, last for years, and are high quality and rapid starting. Fluorescent lamps can cost significantly less to operate over their lifetime than incandescent lamps. Life ratings for fluorescent lamps range from 6,000 to 36,000 hours based on the industry standard of 3 burning hours per start. Also, rapid start and instant start lamps typically start within 1 second of being turned on. The High Performance and High Output versions also give you and even better efficacy and energy efficiency. Look for a higher CRI for improved light quality. Sunlite 05065-SU F8T5/WW Warm White T5 Straight Tube Fluorescent 8 Watt lamp features a Mini Bi Pin base, provides a light output of 380 lumens at a Color Rendering Index (CRI) of 62 and can last an average of 6000 hours.

FEATURES:

- 8-Watt
- Warm White
- 6,000 hour average lamp life
-
-



SPECIFICATIONS:

General Characteristics

Bulb Shape	T5
Average Rated Hours	6000
Base	Miniature Bi-Pin (G5)
Average Life Span Years	6

Electrical Characteristics

Watts	8
--------------	---

Light Characteristics

Lumens Brightness	380
Color Rendering Index CRI	62
Emitted Color	Warm White
Color Temperature Kelvin	2700K

Additional Features

Rohs Compliant	Yes
-----------------------	-----

Product Dimensions

Size	12" Inch
MOL (in)	12.00
Diameter (in)	0.625"
Item Dimension (in)	(W) 0.63 (H) 0.63 (D) 12
Package Dimension (in)	(W) 0.64 (H) 0.64 (D) 11.2
Package Weight (lb)	0.050

Product Data

Case Unit Rate	10
Pack Size	1
Item UPC	653703050652



VARIATIONS:



05065-SU

<i>Item Number</i>	<i>Description</i>	<i>Watts</i>	<i>Lumens</i>	<i>CRI</i>	<i>Kelvin Color</i>	<i>Hours</i>	<i>Pack</i>
05065-SU	F8T5/WW	8	380	62	2700K WW	6000	1