

## Circline

### Sunlite FC40T5/SP830 Fluorescent 40W T5 Circline Ceiling Lights, 3000K Warm White Light, 2GX13 Base

T5 Circline

#### **DESCRIPTION:**

*Sunlite's fluorescent circline lamps come in an assortment of diameters and color temperatures starting from 2700K all the way up to 6500K. From kitchens to utility sheds, Sunlite has the right lamp for the right setting.*

#### **FEATURES:**

- *This T5 Circline Bulb Efficiently Utilizes Only 40 Watt Of Energy To Produce A Warm White Light*
- *Emits A Bright Yet Comfortable 3350 Amount Of 3000K Light And Comes Equipped With A 2GX13 Base*
- *These Long Lasting General Purpose Lamps Average Up To 10000 Hours Of Three Hour Day Operations*
- *Ideal For A Wide Range Of Settings From The Household, The Office, Retail Locations, Diners And More*
- *Outlives, Outperforms, And Replaces Your Typical Incandescent Equivalent Lamp While Significantly Cutting Energy Costs*



## SPECIFICATIONS:

### General Characteristics

<b>Bulb Shape</b>	T5
<b>Average Rated Hours</b>	10000
<b>Base</b>	4-Pin (2GX13)
<b>Average Life Span Years</b>	9

### Electrical Characteristics

<b>Watts</b>	40
--------------	----

### Light Characteristics

<b>Lumens Brightness</b>	3350
<b>Color Rendering Index CRI</b>	82
<b>Emitted Color</b>	Warm White
<b>Color Temperature Kelvin</b>	3000K

### Additional Features

<b>Rohs Compliant</b>	Yes
-----------------------	-----

### Product Dimensions

<b>MOL (in)</b>	11.77
<b>Diameter (in)</b>	0.625"
<b>Item Dimension (in)</b>	(W) 11.77 (H) 0.63 (D) 11.77
<b>Package Dimension (in)</b>	(W) 12.1 (H) 0.9 (D) 12.2
<b>Package Weight (lb)</b>	0.450

### Product Data

<b>Case Unit Rate</b>	12
<b>Pack Size</b>	1
<b>Item UPC</b>	653703058153



## VARIATIONS:



05815-SU

05820-SU

05825-SU

<i>Item Number</i>	<i>Description</i>	<i>Watts</i>	<i>Lumens</i>	<i>CRI</i>	<i>Kelvin Color</i>	<i>Hours</i>	<i>Pack</i>
05815-SU	FC40T5/SP830	40	3350	82	3000K WW	10000	1
05820-SU	FC40T5/SP835	40	3350	82	3500K NW	10000	1
05825-SU	FC40T5/SP841	40	3350	82	4100K CW	10000	1